

TOP GRID RS-ASB-TG

2200 lb. WLL

TOP GRID RIGGING GRID FOR ASB 4128, 6128 AND ASB 7128

RIGGING SYSTEM



RS-ASB-TG TOP GRID

The RS-ASB-TG Top Grid assembly will fly up to 10 ASB 4128, ASB 6128 or ASB 7128 sub woofers into a line array configuration. Simply secure the front and rear speaker Straps Kits of the top speaker cabinet permanently underneath the Grid's four load-rated interlocks.

Rigging Rails on the left and right sides of the Grid's frame allow the entire cluster to be suspended and angled via multiple front-to-back rigging points. Place the cluster into a dead hang or tilt it down, up to 10° degrees, in a cardioid scenario.

Two additional hang points are included to make the installation easier, one at the front center and the other at the rear center to be used for hoisting the cluster into position so that the permanent suspension cables can be secured.

This Top Grid is a single steel frame precision-welded assembly that comes in a tough zinc enriched black powder coat finish.

Fly sub arrays behind arrays Universal Grid RS-56X168-UG. See data sheet for more details.



STANDARD FEATURES:

- ▶ Supports up to 10 ASB 4128 & 6128 and 7128 sub woofers
- ▶ Multiple Rigging Points provide up to 10 degree angle down tilt
- ▶ Secure suspension for speakers
- ▶ Supports Permanent Installations

OPTIONAL ACCESSORIES:

- ▶ See Universal Grid and Ext. RS-56X1168-UG data sheet.
- ▶ See overhead hardware data sheet
- ▶ See wire rope data sheet
- ▶ See safety cable data sheet

SPECIFICATIONS:





Materials: Structural steel
Finish: Zinc Based Powder coat
Color: Black
Tilt Angle: 10° degrees
WLL: 2200 lb / 1000 Kg
Design Factor: 5:1
Product Weight: 150 lb / 68.1 Kg

PACKAGE CONTENTS:

1 pc. Top Grid Frame



Rated for outdoor use.



Front View

Side View

Adaptive Technologies Group Inc
1635 E. Burnett St. | Signal Hill, CA 90755 USA
Ph: 562.424.1100 | Fax: 562.424.3520
www.adaptivetechgroup.com



ALWAYS INSTALL SAFETY CABLES

WARNING: Mounting and/or suspension of audio and video equipment requires experienced professionals. Improperly installed loudspeakers can result in property damage, personal injury and/or liability to the installing contractor.